



 **caesarstone**[®]
Quartz Surfaces

Colour and Product Portfolio

The Original Quartz Surface

CaesarStone® Quartz Surfaces are a naturally timeless, and practical choice for kitchens, bathrooms and commercial interiors. Easy to look after with a minimum of fuss, CaesarStone® Quartz Surfaces will look great for years to come.

CaesarStone® is the original quartz surface developed first in 1987. CaesarStone® is manufactured from approximately 94% natural quartz, pigments and an advanced polymer binding system.

The unique CaesarStone® colour range has been developed to coordinate with a wide range of materials. The entire CaesarStone® colour range is offered in polished slabs in 20mm and selected 30mm thicknesses.



Kitchen bench top in CaesarStone® Ice Snow , designed by Henley Properties group

The CaesarStone® difference:

10 Year Limited Warranty.
Authentic batch and serial numbers on underside of every CaesarStone® slab



Scratch and stain resistant

Non porous - never requires sealing

Heat resistant

Superior strength and flexibility

Mould and mildew resistant

CaesarStone® is manufactured using approximately 94% natural quartz, organic pigments and advanced polymers



Resistant to most household chemicals, acids and oils

Endless applications.

The unique blend of aesthetic and functional qualities make CaesarStone® the perfect choice for bench tops, table tops, counters and bathroom wall linings. CaesarStone® can be used for splashbacks in accordance to the relevant New Zealand Standards.



Basin and bath in CaesarStone®, designed by Mirvac, Waterline home



CaesarStone® Raven

New Colours




Jet Black

3100



Raven

4120



Espresso

3380



Ginger

4330

Colour Portfolio



- Deluxe Range
- + Available in 30mm slab thickness



Snow ● +

2141




Osprey +

3141



Ice Snow +

9141



Nougat ● +

6600

Edge Profiles

Many edge treatments are possible with CaesarStone®, from the most popular single thickness 20 or 30 mm slabs, through to laminated double thickness edge options, which can be fabricated by your stonemason using exclusive CaesarStone® colour matched glues. Our minimum suggested edge detail is a 3–4 mm radius or arris on any profile.



Standard Pencil



180° Bullnose



Bevelled



Shark Nose



Double 180° Bullnose




Double Pencil



Double Shark Nose



Mitred Apron



Nimbus +

9601



Ivory +

2220



Latte

2350



Mangrove

3730

Low maintenance – easy care

CaesarStone® requires very little maintenance to keep the surface looking like new. For everyday, routine cleaning of CaesarStone® we recommend wiping the surface with warm soapy water and a damp cloth or alternatively use a quality spray and wipe type cleaner. For extra-stubborn spills we recommend using CaesarStone® brand Cream Cleanser. Detailed Care and Maintenance instructions are provided in our 10 Year Limited Warranty card. Be sure to ask your supplier for a copy.



NSF - Live Safe. CaesarStone® is approved for use in food preparation areas



Ginger ●

4330



Mink ● +

4350



Raven ●

4120



Espresso

3380

Technical Information

CaesarStone® products and plant procedures are in accordance with strict ISO 9002 guidelines. CaesarStone® has been independently tested by the CSIRO and scored the highest possible results for stain resistance and resistance to dry heat and thermal shock.


Nominal slab size: 3060 mm x 1440 mm x 20 mm and 30 mm thickness.

Weight: 20 mm; 50 Kg/m². 30 mm; 75 Kg/m²

The full technical properties of CaesarStone® can be viewed at www.thelaminexgroup.co.nz


Note: All colours are available in 20mm thickness (30mm thickness available in selected colours only).

CaesarStone® is made from natural quartz and as such some variation in colour and aggregate may occur. We always recommend making final colour selection off an actual sample of CaesarStone® as the colours depicted in this brochure are only as close as modern printing methods will allow.



Cracked Pepper

9260



Nova Aurora ●

7141



Jet Black

3100



 **caesarstone®**
Quartz Surfaces

www.thelaminexgroup.co.nz

Order enquiries or samples please phone 0800 303 606

Distributed by and marketed by

THE laminex GROUP

A division of *FLETCHER BUILDING PRODUCTS LTD*

Caesarstone® is a registered trademark.

NSF Mark and Live Safe are registered trademarks of NSF International.